Print Form

Questionnaire in preparation for the Banff 2009 discussion on the classification of polyomavirus nephropathies (PVN):

Please, return to:

V. Nickeleit, UNC, Chapel Hill, NC (USA)
Fax: ++919-966-4542
Email: volker_nickeleit@med.unc.edu

PVN and concurrent Renal Allograft Rejection

1) Rejection can be diagnosed in PVN. Yes ☐ No ☐

***(If you mark – NO – proceed to last question* #6)**

2) Have YOU seen cases with PVN AND concurrent rejection? Yes ☐ No ☐

3) If -YES- what types of rejection? (mark all fields that apply)

- Banff type I (tubulo-interstitial cellular) ☐
- Banff type II (transplant endarteritis) ☐
- Banff type III ☐
- Acute, antibody mediated (C4d positive) ☐
- Chronic T-cell mediated (C4d negative) ☐
- Chronic antibody mediated (C4d positive) ☐

4) How many cases of PVN and concurrent rejection have you seen?

0 ☐ 1-5 ☐ > 5 ☐

5) Were therapeutic attempts made to treat rejection with specific anti-rejection therapy? Yes ☐ No ☐

6) Would you like "Banff" guidelines to diagnose rejection in cases of PVN ?
Yes ☐ No ☐

7) Questionnaire filled out by:
Pathologist ☐ Nephrologist ☐ Other ☐